

Plastic and Reconstructive Surgery


Where innovation is a thing of beauty.



We Save and Heal Lives

We are honored to do work that is both life-saving and life-changing. Nonprofit and created by surgeons for surgeons, MTF Biologics serves as the industry's high quality benchmark in tissue and donor selection. We continually work to move beyond the expected solutions, investing in research to advance the science of allograft tissue transplantation, and always respecting that each tissue is a gift to be deeply valued.

[Continued on next page.](#)



Governed by Surgeons


MTF Biologics was founded by surgeons and remains governed by surgeons today. Our Surgeon Boards guide our decision-making and ensure that the level of MTF Biologics tissue quality is unmatched in the industry. It's simple. We are innovators, industry leaders and patient advocates dedicated to saving and healing lives by honoring the donated gift, serving patients, and advancing science.

Donor Selection

We lead the industry in donor screening and selection criteria. Our process is set by our Medical Board of Trustees and is based on what they deem to be best for their patients. Screening donors thoroughly is critical. Because when you start with better tissue, you end with better tissue.

Tissue Processing

MTF Biologics' process balances safety with quality by ensuring the preservation of inherent biological properties of the tissue. Our processing avoids the use of harsh chemicals and terminal radiation which can damage tissue integrity and lead to suboptimal clinical outcomes. Aseptic processing employed by MTF Biologics maintains the most natural tissue, offering exceptional biocompatibility with the recipient host tissue.



Orthopedics

From bone void fillers to spinal spacers to allograft tendons, we offer a depth and breadth of allograft options unmatched in the industry. Using minimal processing to maintain biomechanical integrity and biochemistry, we are known for superior outcomes for every graft, every time. Led by surgeons who are clinical specialists, we have become a force in scientific progress and patient advocacy.

Plastic and Reconstructive Surgery

Plastic and Reconstructive surgery innovations happen because we push the limits daily—driving healing through science. From soft tissue reinforcement, to fat grafting, to non-surgical volume restoration, we have set the bar for industry standards, guided by practicing surgeons. Our nonprofit status frees us to invest in advancing surgical solutions. It's what matters most to us and to those who benefit from all we do.

Wound Care

We've taken wound care outcomes into new territory. Our multiple, peer-reviewed, level I clinical outcomes studies are proof that we develop wound care treatment approaches that work. Our advancements—in shapes, sizes and forms appropriate for many different clinical circumstances—can restore native tissue in acute and chronic wounds in less time at less cost. The progress we continue to make not only moves science forward, it helps to heal and save lives.

Plastic and Reconstructive Surgery

Table of Contents

▶ [ACELLULAR DERMAL MATRICES](#)

▶ [FAT GRAFTING](#)

▶ [COSMETIC SURGERY](#)

▶ [SPLIT THICKNESS SKIN GRAFTS](#)

Plastic and Reconstructive Surgery

Table of Contents

▶ ACELLULAR DERMAL MATRICES

| | |
|--|-------|
| <u>FlexHD® Pliable »</u> | 9 |
| <u>FlexHD® Pliable Perforated »</u> | 10 |
| <u>FlexHD® Pliable Shaped »</u> | 11 |
| <u>FlexHD® Pliable Shaped Perforated »</u> | 12 |
| <u>FlexHD® Pliable MAX »</u> | 13 |
| <u>FlexHD® Pliable PRE »</u> | 14 |
| <u>FlexHD® Structural »</u> | 15-16 |
| <u>FlexHD® Diamond »</u> | 17 |

▶ FAT GRAFTING

▶ COSMETIC SURGERY

▶ SPLIT THICKNESS SKIN GRAFTS

Plastic and Reconstructive Surgery

Table of Contents

▶ ACELLULAR DERMAL MATRICES

▶ FAT GRAFTING

Renuva® » 18

LipoGrafte® » 18

▶ COSMETIC SURGERY

▶ SPLIT THICKNESS SKIN GRAFTS

Plastic and Reconstructive Surgery

Table of Contents

▶ ACELLULAR DERMAL MATRICES

▶ FAT GRAFTING

▶ COSMETIC SURGERY

Meso BioMatrix® » 19

Profile® Costal Cartilage Sheet 20

Profile® Costal Cartilage Segment » 20

Extearna® Costal Cartilage Allograft » 20

▶ SPLIT THICKNESS SKIN GRAFTS

Plastic and Reconstructive Surgery

Table of Contents

▶ [ACELLULAR DERMAL MATRICES](#)

▶ [FAT GRAFTING](#)

▶ [COSMETIC SURGERY](#)

▶ [SPLIT THICKNESS SKIN GRAFTS](#)

[Cryopreserved Split Thickness Skin »](#)21

Acellular Dermal Matrices



FlexHD® Pliable, Acellular Hydrated Dermis, Thin



| | WIDTH | LENGTH | THICKNESS | ORDER NO. |
|------|-------|--------|-----------|---------------|
| Thin | 1cm | 2cm | 0.7-1.7mm | HP1102 |
| Thin | 2cm | 4cm | 0.7-1.7mm | HP1204 |
| Thin | 4cm | 7cm | 0.7-1.7mm | HP1407 |
| Thin | 4cm | 12cm | 0.7-1.7mm | HP1412 |
| Thin | 4cm | 16cm | 0.7-1.7mm | HP1416 |
| Thin | 6cm | 16cm | 0.7-1.7mm | HP1616 |
| Thin | 8cm | 16cm | 0.7-1.7mm | HP1816 |
| Thin | 8cm | 20cm | 0.7-1.7mm | HP1208 |
| Thin | 12cm | 20cm | 0.7-1.7mm | HP1220 |
| Thin | 16cm | 20cm | 0.7-1.7mm | HP1620 |
| Thin | 20cm | 20cm | 0.7-1.7mm | HP1202 |

FlexHD® Pliable, Acellular Hydrated Dermis, Thick

| | WIDTH | LENGTH | THICKNESS | ORDER NO. |
|-------|-------|--------|-----------|---------------|
| Thick | 6cm | 16cm | 1.8-2.2mm | HP2616 |
| Thick | 8cm | 16cm | 1.8-2.2mm | HP2816 |
| Thick | 16cm | 20cm | 1.8-2.2mm | HP2620 |
| Thick | 20cm | 20cm | 1.8-2.2mm | HP2202 |

Acellular Dermal Matrices



FlexHD® Pliable Perforated, Acellular Hydrated Dermis, Thin



| | WIDTH | LENGTH | THICKNESS | ORDER NO. |
|------|-------|--------|-----------|---------------|
| Thin | 6cm | 16cm | 0.7-1.7mm | PF1616 |
| Thin | 8cm | 16cm | 0.7-1.7mm | PF1816 |
| Thin | 8cm | 20cm | 0.7-1.7mm | PF1208 |
| Thin | 12cm | 20cm | 0.7-1.7mm | PF1220 |
| Thin | 16cm | 20cm | 0.7-1.7mm | PF1620 |
| Thin | 20cm | 20cm | 0.7-1.7mm | PF1202 |

FlexHD® Pliable Perforated, Acellular Hydrated Dermis, Thick

| | WIDTH | LENGTH | THICKNESS | ORDER NO. |
|-------|-------|--------|-----------|---------------|
| Thick | 6cm | 16cm | 1.8-2.2mm | PF2616 |
| Thick | 8cm | 16cm | 1.8-2.2mm | PF2816 |
| Thick | 12cm | 20cm | 1.8-2.2mm | PF2220 |
| Thick | 16cm | 20cm | 1.8-2.2mm | PF2620 |
| Thick | 20cm | 20cm | 1.8-2.2mm | PF2202 |

Acellular Dermal Matrices



FlexHD® Pliable Shaped, Acellular Hydrated Dermis, Thin



| | WIDTH | LENGTH | THICKNESS | ORDER NO. |
|--------------|-------|--------|-----------|---------------|
| Thin-X-SMALL | 9cm | 15cm | 0.7-1.7mm | SP0001 |
| Thin-SMALL | 10cm | 17cm | 0.7-1.7mm | SP1500 |
| Thin-MEDIUM | 11cm | 20cm | 0.7-1.7mm | SP0002 |
| Thin-LARGE | 13cm | 22cm | 0.7-1.7mm | SP0003 |
| Thin-X-LARGE | 15cm | 24cm | 0.7-1.7mm | SP0004 |

FlexHD® Pliable Shaped, Acellular Hydrated Dermis, Thick

| | WIDTH | LENGTH | THICKNESS | ORDER NO. |
|---------------|-------|--------|-----------|---------------|
| Thick-X-SMALL | 9cm | 15cm | 1.8-2.2mm | SP2001 |
| Thick-SMALL | 10cm | 17cm | 1.8-2.2mm | SP1502 |
| Thick-MEDIUM | 11cm | 20cm | 1.8-2.2mm | SP2002 |
| Thick-LARGE | 13cm | 22cm | 1.8-2.2mm | SP2003 |
| Thick-X-LARGE | 15cm | 24cm | 1.8-2.2mm | SP2004 |

Acellular Dermal Matrices



FlexHD® Pliable Shaped Perforated, Acellular Hydrated Dermis, Thin



| | WIDTH | LENGTH | THICKNESS | ORDER NO. |
|--------------|-------|--------|-----------|---------------|
| Thin-X-SMALL | 9cm | 15cm | 0.7-1.7mm | SF1000 |
| Thin-SMALL | 10cm | 17cm | 0.7-1.7mm | SF1500 |
| Thin-MEDIUM | 11cm | 20cm | 0.7-1.7mm | SF2000 |
| Thin-LARGE | 13cm | 22cm | 0.7-1.7mm | SF3000 |
| Thin-X-LARGE | 15cm | 24cm | 0.7-1.7mm | SF4000 |

FlexHD® Pliable Shaped Perforated, Acellular Hydrated Dermis, Thick

| | WIDTH | LENGTH | THICKNESS | ORDER NO. |
|---------------|-------|--------|-----------|---------------|
| Thick-X-SMALL | 9cm | 15cm | 1.8-2.2mm | SF1002 |
| Thick-SMALL | 10cm | 17cm | 1.8-2.2mm | SF1502 |
| Thick-MEDIUM | 11cm | 20cm | 1.8-2.2mm | SF2002 |
| Thick-LARGE | 13cm | 22cm | 1.8-2.2mm | SF3002 |
| Thick-X-LARGE | 15cm | 24cm | 1.8-2.2mm | SF4002 |

Acellular Dermal Matrices



FlexHD® Pliable MAX, Acellular Hydrated Dermis



| WIDTH | LENGTH | THICKNESS | ORDER NO. |
|-------|--------|-----------|---------------|
| 8cm | 16cm | 0.8-1.7mm | FN0816 |

Acellular Dermal Matrices



FlexHD® Pliable PRE, Acellular Hydrated Dermis, Thin



| SIZE | WIDTH | LENGTH | THICKNESS | ORDER NO. |
|-------------|--------|--------|-----------|---------------|
| Thin-SMALL | 17.5cm | 20cm | 0.7-1.7mm | PP0001 |
| Thin-MEDIUM | 19cm | 22cm | 0.7-1.7mm | PP1500 |
| Thin-LARGE | 21cm | 24cm | 0.7-1.7mm | PP0002 |
| Thin-XLARGE | 23cm | 26cm | 0.7-1.7mm | PP0003 |

FlexHD® Pliable PRE, Acellular Hydrated Dermis, Thick

| SIZE | WIDTH | LENGTH | THICKNESS | ORDER NO. |
|--------------|--------|--------|-----------|---------------|
| Thick-SMALL | 17.5cm | 20cm | 1.8-2.2mm | PP2001 |
| Thick-MEDIUM | 19cm | 22cm | 1.8-2.2mm | PP1502 |
| Thick-LARGE | 21cm | 24cm | 1.8-2.2mm | PP2002 |
| Thick-XLARGE | 23cm | 26cm | 1.8-2.2mm | PP2003 |

Acellular Dermal Matrices



FlexHD® Structural, Acellular Hydrated Dermis, Ultra Thin



| | WIDTH | LENGTH | THICKNESS | ORDER NO. |
|------------|-------|--------|-----------|---------------|
| Ultra Thin | 2cm | 4cm | 0.2-0.4mm | 479204 |
| Ultra Thin | 4cm | 7cm | 0.2-0.4mm | 479407 |

FlexHD® Structural, Acellular Hydrated Dermis, Thin

| | WIDTH | LENGTH | THICKNESS | ORDER NO. |
|------|-------|--------|-----------|---------------|
| Thin | 1cm | 2cm | 0.4-0.8mm | 470102 |
| Thin | 2cm | 4cm | 0.4-0.8mm | 470204 |
| Thin | 3cm | 7cm | 0.4-0.8mm | 470307 |
| Thin | 4cm | 7cm | 0.4-0.8mm | 470407 |

FlexHD® Structural, Acellular Hydrated Dermis, Thick

| | WIDTH | LENGTH | THICKNESS | ORDER NO. |
|-------|-------|--------|-----------|---------------|
| Thick | 1cm | 2cm | 0.8-1.7mm | 471102 |
| Thick | 2cm | 4cm | 0.8-1.7mm | 471204 |
| Thick | 3cm | 7cm | 0.8-1.7mm | 471307 |
| Thick | 4cm | 16cm | 0.8-1.7mm | 471416 |
| Thick | 6cm | 12cm | 0.8-1.7mm | 471612 |
| Thick | 6cm | 16cm | 0.8-1.7mm | 471616 |
| Thick | 8cm | 16cm | 0.8-1.7mm | 471816 |
| Thick | 16cm | 20cm | 0.8-1.7mm | 471620 |

Acellular Dermal Matrices



FlexHD® Structural, Acellular Hydrated Dermis, Thick



| | WIDTH | LENGTH | THICKNESS | ORDER NO. |
|-------|-------|--------|-----------|---------------|
| Thick | 4cm | 7cm | 0.8-1.7mm | 471407 |
| Thick | 6cm | 8cm | 0.8-1.7mm | 471608 |
| Thick | 8cm | 12cm | 0.8-1.7mm | 471812 |
| Thick | 10cm | 16cm | 0.8-1.7mm | 471016 |
| Thick | 12cm | 24cm | 0.8-1.7mm | 471224 |
| Thick | 20cm | 20cm | 0.8-1.7mm | 471202 |
| Thick | 20cm | 25cm | 0.8-1.7mm | 471225 |
| Thick | 20cm | 30cm | 0.8-1.7mm | 471230 |

FlexHD® Structural, Acellular Hydrated Dermis, Ultra Thick

| | WIDTH | LENGTH | THICKNESS | ORDER NO. |
|-------------|-------|--------|-----------|---------------|
| Ultra Thick | 4cm | 7cm | 1.8-4mm | 472407 |
| Ultra Thick | 8cm | 12cm | 1.8-4mm | 472812 |
| Ultra Thick | 10cm | 16cm | 1.8-4mm | 472016 |
| Ultra Thick | 12cm | 24cm | 1.8-4mm | 472224 |
| Ultra Thick | 16cm | 20cm | 1.8-4mm | 472620 |
| Ultra Thick | 20cm | 25cm | 1.8-4mm | 472225 |
| Ultra Thick | 20cm | 30cm | 1.8-4mm | 472230 |

Acellular Dermal Matrices



FlexHD® Diamond, Acellular Hydrated Dermis, Thick



| | WIDTH | LENGTH | THICKNESS | ORDER NO. |
|-----------------|---------|-----------|-----------|---------------|
| DiamondXL-Thick | 23-25cm | 34.5-36cm | 0.8-1.7mm | 4D1335 |

FlexHD® Diamond, Acellular Hydrated Dermis, Ultra Thick

| | WIDTH | LENGTH | THICKNESS | ORDER NO. |
|-----------------------|---------|-----------|-----------|---------------|
| DiamondXL-Ultra Thick | 23-25cm | 34.5-36cm | 1.8-4mm | 4D2335 |

Fat Grafting



Renuva®, Allograft Adipose Matrix



| VOLUME | ORDER NO. |
|--------|---------------|
| 1.5cc | AP0101 |
| 3.0cc | AP0103 |




LipoGrafter®, Fat Grafting Kit



| DESCRIPTION | KIT COMPONENTS | ORDER NO. |
|-----------------|--|---------------|
| LipoGrafter Kit | 1 AT-Valve®, 4 Storage bags, 1 Tubing, 1 KVAC® Syringe | 913000 |

Lipoplasty Cannulas



| ITEM | DESCRIPTION | ORDER NO. |
|------------------|---|---------------|
| Reusable Cannula | 12G x 25cm Embedded Handle Aggressive Harvester | 913201 |
| Reusable Cannula | 12G x 20cm Embedded Handle Aggressive Harvester | 913202 |
| Reusable Cannula | 3.5mm x 25cm Embedded Handle Mercedes Tip Harvester | 913203 |
| Reusable Cannula | 18G x 7cm Blunt Injector | 913204 |
| Reusable Cannula | 14G x 15cm Curved Injector | 913205 |
| Reusable Cannula | 22G x 3cm Blunt Injector | 913207 |
| Reusable Cannula | 20G x 4cm Blunt Injector | 913208 |
| Reusable Cannula | Large Sterilization Container | 913209 |
| Reusable Cannula | 14G x 20cm Curved Injector | 913210 |

Meso BioMatrix®

Acellular Peritoneum Matrix

Meso BioMatrix®, Surgical Mesh Xenograft



| WIDTH | LENGTH | THICKNESS | ORDER NO. |
|-------|--------|-----------|---------------|
| 2cm | 4cm | 0.3mm | 910204 |
| 4cm | 5cm | 0.3mm | 910405 |
| 6cm | 8cm | 0.3mm | 910608 |
| 8cm | 16cm | 0.3mm | 910816 |
| 10cm | 20cm | 0.3mm | 910120 |
| 16cm | 20cm | 0.3mm | 910162 |
| 20cm | 20cm | 0.3mm | 910220 |

Cosmetic Surgery



Profile®, Costal Cartilage Allograft Sheet



| SIZE | WIDTH | LENGTH | THICKNESS | ORDER NO. |
|--------------------|-----------|-----------|-----------|---------------|
| XXS, Narrow (2/pk) | 0.7-0.9cm | 2.0-2.4cm | 1.8-2.2mm | 258111 |
| XXS (2/pk) | 1-2cm | 2.0-2.4cm | 1.8-2.2mm | 258221 |
| XS, Narrow (2/pk) | 0.7-0.9cm | 2.5-3cm | 1.8-2.2mm | 258112 |
| XS (2/pk) | 1-2cm | 2.5-3cm | 1.8-2.2mm | 258222 |
| S, Narrow | 0.7-0.9cm | 3.1-3.4cm | 1.8-2.2mm | 258113 |
| S | 1-2cm | 3.1-3.4cm | 1.8-2.2mm | 258223 |
| M, Narrow | 0.7-0.9cm | 3.5-4cm | 1.8-2.2mm | 258114 |
| M | 1-2cm | 3.5-4cm | 1.8-2.2mm | 258224 |
| L, Narrow | 0.7-0.9cm | 4.1-5cm | 1.8-2.2mm | 258115 |
| L | 1-2cm | 4.1-5cm | 1.8-2.2mm | 258225 |

Stored frozen -40C to -80C



Profile®, Costal Cartilage Allograft Segment



| SIZE | WIDTH | LENGTH | THICKNESS | ORDER NO. |
|-----------|-----------|-----------|-----------|---------------|
| S, Narrow | 0.7-0.9cm | 1.5-2.9cm | ≥3mm | 450045 |
| S | ≥1cm | 1.5-2.9cm | ≥3mm | 450040 |
| L, Narrow | 0.7-0.9cm | ≥3cm* | ≥3mm | 450035 |
| L | ≥1cm | ≥3cm* | ≥3mm | 450030 |

* Average length: 4.5cm

Stored frozen -40C to -80C



Extearna®, Costal Cartilage Allograft (comprised of costal cartilage from ribs 5 – 8)



| SIZE | DESCRIPTION | ORDER NO. |
|------|------------------------------|---------------|
| S | Extearna® Costal Cart, Left | 450125 |
| L | Extearna® Costal Cart, Left | 450012 |
| S | Extearna® Costal Cart, Right | 450135 |
| L | Extearna® Costal Cart, Right | 450013 |

For more information on graft dimensions, please contact your MTF Representative.

Stored frozen -40C to -80C

Split Thickness Skin Grafts



Cryopreserved Split Thickness Skin

MTF Biologics continues their strategic partnership with Solvita (formerly Community Tissue Services) to serve more patients with life-saving split thickness skin grafts for acute burn wounds.

The partnership leverages MTF Biologics' large network of recovery partners, shares best practices in processing technology, and utilizes Solvita's distribution channel to ensure best-in-class grafts along with enhanced availability.

Founded as Community Blood Services in 1964, Solvita began producing skin for burn grafts in 1989 and, to date, has provided more than 1 million grafts, making them one of the largest providers of allograft skin for burn wounds today.

To place an order for split thickness skin grafts, please contact Solvita Customer Service at Phone: (800)-684-7783 or tissueecs@solvita.org.



Solvita

2900 College Drive
Kettering, OH 45420
USA

24 Hour Phone:
(800) 684-7783

Customer Service | Table of Contents

[Ordering Information](#) » 23

[Return Policy](#) » 23

[Corporate Partners](#) » 24

Ordering Information

Customer Service

Orders: mtfop@mtf.org

All other inquiries: mtfcs@mtf.org

1-800-433-6576

For U.S. orders only

Reimbursement Support

The Pinnacle Health Group, Inc.

mtf@thepinnaclehealthgroup.com

1-866-369-9290

Contact Us

125 May Street
Edison, NJ 08837

Toll-free: 1-800-946-9008

Main: 1-732-661-0202

mtfbiologics.org

Return Policy

Due to the unique nature of donated tissues and the preservation techniques used, MTF Biologics maintains the following return policies:

All Tissue

Tissue may be returned for credit in the following instances without a restocking fee:

- **Tissue does not meet MTF Biologics published specifications:**

Note: Claims of unsatisfactory specifications must be reported to MTF Biologics within 30 days of the date of invoice to be eligible for return.

- **Tissue/packaging is damaged in shipment:**

Note: Claims for damaged tissue packages must be reported to MTF Biologics within five days of receipt of tissue to be eligible for return.

- **Order discrepancies:**

Note: Claims for order discrepancies must be reported to MTF Biologics within five days of receipt of tissue to be eligible for return.

All Frozen & Refrigerated Tissue

In order to maintain strict quality control protocols, there is a no-return policy for all frozen and refrigerated bone and soft tissue, unless returned for a condition stated above.

Fresh MOPS Osteochondral Grafts

In order to maintain strict quality control protocols, there is a no-return policy for fresh MOPS osteochondral grafts, unless returned for a condition stated above.

All Other Return Claims

All other return requests must be made within 30 days of the original invoice date and will be subject to a restocking charge of 20% of the cost of the tissue. Freight charges will not be credited.

All returns must be accompanied by a Return Authorization Number (RA#).

Authorization can be obtained by contacting MTF Biologics' Customer Service Advocates at 1-800-946-9008 extension 2307 or via email to Customer_Service_Advocates@MTF.org.

Customer Service Advocate hours:

Monday – Friday 8:15 AM to 5:30 PM, EST

Corporate Partners

We collaborate with a variety of other medical manufacturers and distributors to provide quality allografts under a partner's custom or private label. You can be sure that the integrity and high standard of MTF Biologics is well represented in the healing solutions offered. From soft tissue allografts to meniscal allografts to acellular human dermis for wound coverings, our presence within a partner's portfolio signifies our commitment to providing safe, high quality healing solutions the first time, every time.

ConMed

Sports Medicine Allografts

Orthofix

Allograft with Viable Cells

Amniotic Membrane

DePuy Synthes

Machined Allograft

Demineralized Bone Matrix