

An Aseptically Processed, Acellular, Reticular, Allogenic Human Dermis Improves Healing in Diabetic Foot Ulcers: A Prospective, Randomised, Controlled, Multi-Centre Follow-Up Trial

Zelen CM., et al. *Int Wound J.* 2018 Apr 22. doi:10.1111/iwj.12920

Charles M Zelen, DPM FACFAS | Dennis P Orgill, M.D., Ph.D. | Thomas E Serena, M.D., FACS | Robert D Galiano, M.D. | Marissa J Carter, Ph.D. MA | Lawrence A DiDomenico, DPM, FACFAS | Jennifer Keller, DPM | Jarrod P Kaufman, M.D. | William W Li, M.D.

AlloPatch® Pliable: Diabetic Foot Ulcers

MTF Biologics recently completed a multi-center, prospective, randomized, controlled clinical trial evaluating the use of AlloPatch® Pliable in chronic diabetic foot ulcer (DFU) applications. As an advanced treatment option, AlloPatch Pliable significantly outperformed the use of standard of care (SOC) alone. But, don't just take our word for it, check out the stats.


Significantly more effective than the standard of care alone

80%
of wounds
healed in
12 weeks

3.2cm²
average starting
wound size

AlloPatch Pliable + SOC
not only healed 80% of the
wounds treated at 12 weeks,
but also significantly
outperformed SOC alone
at each time point.

Percentage of Wounds Healed Over Time



Zelen CM, et al. *Int Wound J.* 2018 Apr 22. doi:10.1111/iwj.12920

* p-value 6 weeks: p=0.0000027, p-value 12 weeks: p=0.0000084


A fraction of the cost of other options

90%
 more cost effective
 than Dermagraft®

86%
 more cost effective
 than Apligraf®

57%
 more cost effective
 than EpiFix®

Mean Graft Costs to Closure at 12 Weeks (\$USD)



¹Paulos, M. & Papadopoulos, D. Poster presented at Diabetic Limb Salvage Conference, September 22-24, 2011, Washington, DC.

²Zelen CM, et al. *Int Wound J.* 2016 Apr;13(2):272-82.

³Zelen CM, et al. *Int Wound J.* 2018 Apr 22. doi: 10.1111/iwj.12920

Faster healing rates and fewer treatments

~1/2
 the time
 to closure

Not only did AlloPatch Pliable + SOC heal more wounds, it did so faster. On average, AlloPatch Pliable + SOC can save up to 4 dressings as opposed to SOC alone.

Number of Weeks to Closure

AlloPatch® Pliable + SOC



SOC Alone



The average starting wound size for AlloPatch Pliable was 3.2cm², which is almost 2.5x the average DFU size⁴

⁴Wilcox JR, et al. *JAMA Dermatol.* 2013 Sep;149(9):1050-8. doi: 10.1001/jamadermatol.2013.4960.

The Wound Clinic Difference:

With a variety of graft sizes available within the Medicare bundled payment, AlloPatch Pliable is exceptionally cost effective. Now clinicians have access to one of the highest quality, lowest cost to closure grafts. The best care is now available for everyone.