

Acellular Peritoneum Matrix

A surgical mesh with exceptional handling and strength.



## Meso BioMatrix®


Acellular Peritoneum Matrix

A surgical mesh with the features you want most:


- Suturable with exceptional strength<sup>1</sup>
- Thin, natural matrix allows contour control
- Supports host cell integration and revascularization<sup>2</sup>




SEM images show the natural structure and architecture is preserved through minimal processing\*



**SEM image at 100x**Sample cross-section
Basal Lamina and
Subserosa



**SEM image at 500x**Sample cross-section
Meso BioMatrix® open
pore structure



**SEM image at 500x**Sample cross-section dermis for comparison

\*Bench Test results are not necessarily indicative of clinical performance. Testing performed by DSM Biomedical. Data on file at DSM Biomedical.



Processed to preserve natural proteins and growth factors:

**Structural Proteins** (Collagen, Elastin) Provides strength, structural support, and recoverable elasticity<sup>4</sup>

**Glycoproteins** (Fibronectin, Laminin) Promotes cell attachment\*\*

Proteoglycans (Versican) Sequesters growth factors<sup>3</sup>

**Glycosaminoglycans** (Chondroitin, Sulfate) Mediates cell communication<sup>3</sup>

**Growth factors** (VEGF, FGF, TGF-b) Stimulates angiogenesis, cellular proliferation, and controls inflammation⁵

<sup>\*\*</sup>The effect of these components on the performance of Meso BioMatrix Mesh has not been clinically evaluated

# Ideally suited for plastic and reconstructive applications.

Meso BioMatrix is an acellular surgical matrix ideal for plastic and reconstructive procedures. Derived from porcine peritoneum, Meso BioMatrix Mesh is naturally *strong*, *thin*, and *conformable*.

The strength and elasticity required to support your soft tissue repairs.1



Images demonstrate the strength of Meso BioMatrix without the sagging associated with dermal products

In pre-clinical data Meso BioMatrix appeared to facilitate the regeneration of tissue without eliciting a negative biologic response.\*




O weeks Meso BioMatrix implanted



6 weeks Meso BioMatrix integrated



12 weeks Meso BioMatrix integrated



O weeks control



6 weeks control



12 weeks control

<sup>\*</sup>Pre-Clinical study evaluated the effects Meso BioMatrix had on tissue regeneration when implanted subcutaneously in a sheep model compared to an empty control. Bench test results are not necessarily indicative of clinical performance. Testing performed by DSM Biomedical. Data on file at DSM Biomedical.

MTF Biologics offers innovative and effective solutions in plastic and reconstructive surgery. We advance the science of tissue transplantation through our commitment to research and development. Refer to the Instructions for Use for the cleared indications for use.



### Ordering Information

MTF BIOLOGICS DESCRIPTION	TISSUE CODE
Meso BioMatrix Mesh 2cm x 4cm	910204
Meso BioMatrix Mesh 4cm x 5cm	910405
Meso BioMatrix Mesh 6cm x 8cm	910608
Meso BioMatrix Mesh 8cm x 16cm	910816
Meso BioMatrix Mesh 10cm x 20cm	910120



Distributed by MTF Biologics. Manufactured by DSM Biomedical.

#### **CUSTOMER SERVICE**

For orders within the USA, contact MTF Biologics Customer Service: (800) 433-6576 For orders outside the USA, contact your local representative or MTF Biologics International Customer Service: +1 (732) 661-0202

#### Relevant References

- 1. Cronce, Michael J., et al. "In Vivo Response to Decellularized Mesothelium Scaffolds." Journal of Biomedical Materials Research Part B: Applied Biomaterials, vol. 106, no. 2, 2017, pp. 716–725., doi:10.1002/jbm.b.33879.
- 2. Hoganson, David M., et al. "Preserved Extracellular Matrix Components and Retained Biological Activity in Decellularized Porcine Mesothelium." Biomaterials, vol. 31, no. 27, 2010, pp. 6934–6940., doi:10.1016/j.biomaterials.2010.05.026.
- $3.\,Badylack\,et\,al. "The \,Extracellular \,Matrix\,as\,a\,Scaffold\,for\,Tissue\,Reconstruction."\,\,Seminars\,in\,Cell\,\&\,Developmental\,Biology,\,vol.\,15,\,no.\,3,\,Oct.\,2002,\,pp.\,377-383\,doi:10.1016/S1084952162000940$
- 4. Rozano et al. "The Extracellular Matrix in Development and Morphogenesis: A Dynamic View." Developmental Biology, vol. 341, no. 1, May 2010, pp. 126-140., doi:10.1016/j.ydbio.2009.10.026
- $5.\,Greenhalgh\,et\,al.\,^{\prime\prime} The\,Role\,of\,Growth\,Factors\,in\,Wound\,Healing''\,The\,Journal\,of\,Trauma:\,Injury,\,Infection,\,and\,Critical\,Care,\,vol.\,41,\,no.\,1,\,July\,1996,\,pp.\,159-167.$

 $Caution: Federal \, (U.S.A) \, law \, restricts \, this \, device \, to \, sale \, by \, or \, on \, the \, order \, of \, a \, physician \, and \, be a \, constant of a physician content of a physic$ 



 $125\,\mathrm{May}\,\mathrm{Street}$ , Edison, NJ, USA 08837 • 800-433-6567 • +1(732) 661-0202 mtfbiologics.org/mesobiomatrix

 $@2019 \, Musculoskeletal \, Transplant \, Foundation. \, MTF \, Biologics \, and \, Meso \, BioMatrix \, are \, registered \, trademarks \, of \, the \, Musculoskeletal \, Transplant \, Foundation. \, All \, rights \, reserved. \, MKTG-1268 \, rev \, 0$